

Sea Panther

Multipurpose AHTS Vessel
Technical Specification

KMAR 404



DEEP SEA SUPPLY



IMO no: 9171747
 DNV id no : 20118
 MMSI : 257 271 000
 Call Sign : LFEY

MAIN DESCRIPTION	MEASUREMENT
------------------	-------------

Type :	KMAR 404	Lenght oa :	73.50 m
Classification :	DNV 1A1 Tug Supply Vessel SF	Lenght bpp :	66,65 m
	E0 DK(+) HL(2.8) DYNPOS-AUTR	Breath moulded :	16.40 m
Yard :	Kværner Leirvik as	Depth moulded :	8.00 m
Yard built no :	279	Draught max :	6.90 m
Place built :	Leirvik in Sogn	Gross tonnage GT :	2556
Country built :	Norway	Correspondign DWT :	2854 mt
Delivered :	1999	Net tonnage NT :	810
Flag :	Norwegian Flag	Air draft at 6,50 mt EK:	28,50 m
Port of registry :	Arendal	Speed svc/max.	10/15,5 knots at 16/44 m3 GO
Owner :	Deep Sea Supply Shipowning AS	ISM-Responsible :	OSM AS

CARGO CAPACITY	DISCHARGE RATE
----------------	----------------

Deck cargo:	1.000 tons	Load/Discharge:	2 each side
Deck area:	550 m2 (39,3m x 14,00m)	Fuel discharge:	1 off 250 m3/h - 9 bar
Deck strength:	5 t/m2 - 10 t/m2	Mud discharge:	2 off Each 95 m3/h - 24 bar
Fuel (gasoil) :	910 cbm (742 + 168)	Brine discharge:	2 off Each 97 m3/h - 18 bar
Liquid Mud :	616 m3	Base Oil discharge:	1 x 75 m3/h
Brine :	578 m3	Drill Water discharge:	1 off 250 m3/h - 9 bar
Base oil:	168 m3	Fresh Water discharge:	1 off 250 m3/h - 9 bar
Drillwater/Ballast :	664 m3 + 264 m3	Dry Bulk discharge:	Abt 100 t/h
Fresh Water:	500 m3		
Dry Bulk :	4 tanks 225 m3 (8,000 cu.lt.)		

MACHINERY	PROPULSION
-----------	------------

Main Engines:	Wärtsila. 1 x 5620 kW 750 rpm	Main propulsion:	2x4 blades in noznles dia 3,8m
BHP / kW Main Engines:	15 000 BHP / 11060 kW	Rudders:	2 flap/split rudders
Shaft Generators:	2 x 1 800 kW	Bow Thruster	1 x 800 kW, tunnel
Aux. Generators:	2 x 300 kW	Azimuth Thruster forw.	1 x 800 kW
Emergency Generator:	1 x 80 kW	Stern Thruster:	1 x 800 kW, tunnel
Shore Connections:	440 V/60 Hz		

All figures & data belived to be correct, but not guaranteed

PERFORMANCE / CONSUMPTION	ACCOMODATION
---------------------------	--------------

Bollard Pull max :	N/A	Cabins/beds:	15/19. (13x1+1x2+1x4)
Bollard Pull continuous :	174 mt	Cabins/beds Crew:	14 cabins / 13 x 1 + 1 x 2
Max Speed/Consumption :	15.0 knots at 40 m3/day	Cabin/bed passengers:	1 cabin / 4 beds
Service Speed/Consumtion:	14.0 knots at 34 m3/day	Mess/Dayroom :	1
Economical Speep/Consumtion :	11.0 knots at 20 m3/day	Cool store/Freezer :	1
Standby Mode :	Abt 6 m3/day	Dry Provision :	1
Port Consumption :	Abt 1-2 m3/day		

DECK	AH EQUIPMENT
------	--------------

Tugger Winch :	Brattvaag 2 x 10 mt	Stern Roller:	L: 6m x 3m dia. SWL 500 mt
Deck Crane:	5 mt / 14 m	Towing Pins:	Karmoy SWL 240 mt
Windlass:	Brattvaag 2 x 5 mt	Shark Jaws:	2 x 500 mt
Capstans:	Brattvaag 2 x 5 mt	Towing Wire:	1500 m x 76mm
Anchor Handling/Tow Winch :	Brattvaag 300t Pull/400t Brake	Spare Tow Wire.	1400 m x 76mm
	2 x 2000m of 76 m m wire	Work Wire A/H:	700 m x 76mm
Rope reels:	Brattvaag 20 mt	Grapnels for Chain:	Yes
	2 x 2000 m of 76mm	Forged J Chaser:	Yes
Rig Chain Gipsies :	2 x 76mm & 2 x 84mm	Wire spooling device:	Yes
Chain Lockers:	2 x 132 m3		


RESCUE EQUIPMENT

Hospital :	Yes	GMDSS VHF` s:	3 x
Fire Fighting equipment :	Normal extinguishers	Survival Suits :	32
MOB Boat(s):	1 NORSAFE (6 persons)	Life jackets :	28 + 4
Mob Boat Engine:	40 HP outboard engine	Life rafts:	Viking (6 x 25 +2 x 6 persons)
Emergency Beacon:	1 pc JOTRON 45SX	Emergency Beacon:	1 pc KANDAD 406 WH


NAVIGATION EQUIPMENT	COMMUNICATION EQUIPMENT
----------------------	-------------------------

DP II	Kongsberg		
DP Referencs:	2 x DGPS, Fanbeam	GMDSS Sea Area:	A-3
Radar 3 cm:	Furuno FR-2105 (ARPA)	MF/HF Radio :	Sailor SSB T2130/RE2100
Radar 10 cm:	Furuno FAR-2805 (ARPA)	DSC Receiver :	Sailor RM2149/2150/2151
Radar Slave :	Aft bridge panel	VHF 1 :	Sailor RT2047
Direction Finder :	TAIYO FDL	VHF 2:	Sailor RT2048
Gyro:	Anschutz Digital 20	VHF 3 :	Sailor RT2042
Autopilot:	Anschutz Pilotstar	Portable UHF :	Motorola (5pcs)
Chart Plotter :	TELchart 2121 (C-Map chart)	UHF Basestations :	Motorola (2pcs)
Navtex :	JMC NT-900	Portable VHF :	Standard Submersible (4pcs)
Joystick :	KaMeWa	Mobil Telephone :	Handheld
AIS :	Furuno Universal FA-100	Mobil Telephone :	Fixed for Data/E-mail
Echo Sounder :	Furuno FE-680	Satcom:	NERA Saturn "M"
Speed log :	Furuno Doppler DS-70	Sat C 1 :	Sailor
Speed log remote :	Furuno ED-2200	Sat C 1 :	Sailor
GPS Sat. Nav	Furuno GP-80	Faximile via Satcom "M":	Brother
Wind Sensor:	Aanderaa Instruments 3300	Intercom System :	Stentofon
Weather faximile	Furuno DFAX 208		


All figures & data belived to be correct, but not guaranteed



STARBOARD PROFILE



MAIN DECK



TWEEN DECK